

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	ABINGTON	171	1,839	9.3	(8.0 - 10.6)	Statistically Significantly Lower
2007 - 2008	ACTON	329	3,418	9.6	(8.6 - 10.6)	Statistically Significantly Lower
2007 - 2008	ACUSHNET	61	1,152	5.3	(4.0 - 6.6)	Statistically Significantly Lower
2007 - 2008	ADAMS	117	895	13.1	(10.9 - 15.3)	Not Statistically Significantly Different
2007 - 2008	AGAWAM	227	3,033	7.5	(6.5 - 8.4)	Statistically Significantly Lower
2007 - 2008	ALFORD	NS	32	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	AMESBURY	111	1,781	6.2	(5.1 - 7.4)	Statistically Significantly Lower
2007 - 2008	AMHERST	259	1,966	13.2	(11.7 - 14.7)	Statistically Significantly Higher
2007 - 2008	ANDOVER	502	4,659	10.8	(9.9 - 11.7)	Not Statistically Significantly Different
2007 - 2008	AQUINNAH	NS	29	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	ARLINGTON	296	3,914	7.6	(6.7 - 8.4)	Statistically Significantly Lower
2007 - 2008	ASHBURNHAM	49	776	6.3	(4.6 - 8.0)	Statistically Significantly Lower
2007 - 2008	ASHBY	13	403	3.2	(1.5 - 5.0)	Statistically Significantly Lower
2007 - 2008	ASHFIELD	20	180	11.1	(6.5 - 15.7)	Not Statistically Significantly Different
2007 - 2008	ASHLAND	130	2,022	6.4	(5.4 - 7.5)	Statistically Significantly Lower
2007 - 2008	ATHOL	199	1,300	15.3	(13.4 - 17.3)	Statistically Significantly Higher
2007 - 2008	ATTLEBORO	553	4,636	11.9	(11.0 - 12.9)	Statistically Significantly Higher
2007 - 2008	AUBURN	185	1,745	10.6	(9.2 - 12.0)	Not Statistically Significantly Different
2007 - 2008	AVON	42	423	9.9	(7.1 - 12.8)	Not Statistically Significantly Different
2007 - 2008	AYER	82	747	11.0	(8.7 - 13.2)	Not Statistically Significantly Different
2007 - 2008	BARNSTABLE	292	4,195	7.0	(6.2 - 7.7)	Statistically Significantly Lower
2007 - 2008	BARRE	46	591	7.8	(5.6 - 9.9)	Statistically Significantly Lower
2007 - 2008	BECKET	16	150	10.7	(5.7 - 15.6)	Not Statistically Significantly Different
2007 - 2008	BEDFORD	201	1,621	12.4	(10.8 - 14.0)	Not Statistically Significantly Different
2007 - 2008	BELCHERTOWN	196	1,910	10.3	(8.9 - 11.6)	Not Statistically Significantly Different
2007 - 2008	BELLINGHAM	77	1,836	4.2	(3.3 - 5.1)	Statistically Significantly Lower
2007 - 2008	BELMONT	220	2,824	7.8	(6.8 - 8.8)	Statistically Significantly Lower
2007 - 2008	BERKLEY	65	936	6.9	(5.3 - 8.6)	Statistically Significantly Lower
2007 - 2008	BERLIN	26	310	8.4	(5.3 - 11.5)	Not Statistically Significantly Different
2007 - 2008	BERNARDSTON	10	209	4.8	(1.9 - 7.7)	Statistically Significantly Lower
2007 - 2008	BEVERLY	412	3,746	11.0	(10.0 - 12.0)	Not Statistically Significantly Different
2007 - 2008	BILLERICA	405	4,808	8.4	(7.6 - 9.2)	Statistically Significantly Lower
2007 - 2008	BLACKSTONE	102	1,061	9.6	(7.8 - 11.4)	Not Statistically Significantly Different
2007 - 2008	BLANDFORD	11	142	7.7	(3.3 - 12.1)	Not Statistically Significantly Different
2007 - 2008	BOLTON	56	805	7.0	(5.2 - 8.7)	Statistically Significantly Lower
2007 - 2008	BOSTON	6,606	47,605	13.9	(13.6 - 14.2)	Statistically Significantly Higher
2007 - 2008	BOURNE	216	1,811	11.9	(10.4 - 13.4)	Not Statistically Significantly Different
2007 - 2008	BOXBOROUGH	14	731	1.9	(0.9 - 2.9)	Statistically Significantly Lower
2007 - 2008	BOXFORD	100	1,298	7.7	(6.3 - 9.2)	Statistically Significantly Lower
2007 - 2008	BOYLSTON	23	497	4.6	(2.8 - 6.5)	Statistically Significantly Lower
2007 - 2008	BRAINTREE	483	3,889	12.4	(11.4 - 13.5)	Statistically Significantly Higher
2007 - 2008	BREWSTER	66	818	8.1	(6.2 - 9.9)	Statistically Significantly Lower
2007 - 2008	BRIDGEWATER	316	2,957	10.7	(9.6 - 11.8)	Not Statistically Significantly Different
2007 - 2008	BRIMFIELD	57	405	14.1	(10.7 - 17.5)	Not Statistically Significantly Different
2007 - 2008	BROCKTON	1,776	11,430	15.5	(14.9 - 16.2)	Statistically Significantly Higher
2007 - 2008	BROOKFIELD	46	346	13.3	(9.7 - 16.9)	Not Statistically Significantly Different
2007 - 2008	BROOKLINE	465	4,450	10.4	(9.6 - 11.3)	Not Statistically Significantly Different
2007 - 2008	BUCKLAND	12	181	6.6	(3.0 - 10.3)	Statistically Significantly Lower
2007 - 2008	BURLINGTON	294	2,740	10.7	(9.6 - 11.9)	Not Statistically Significantly Different

- When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
- Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
- Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.
- Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
- NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
- Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
- Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
- NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	CAMBRIDGE	517	5,196	9.9	(9.1 - 10.8)	Not Statistically Significantly Different
2007 - 2008	CANTON	316	2,530	12.5	(11.2 - 13.8)	Statistically Significantly Higher
2007 - 2008	CARLISLE	54	810	6.7	(4.9 - 8.4)	Statistically Significantly Lower
2007 - 2008	CARVER	128	1,450	8.8	(7.4 - 10.3)	Statistically Significantly Lower
2007 - 2008	CHARLEMONT	23	144	16.0	(10.0 - 22.0)	Not Statistically Significantly Different
2007 - 2008	CHARLTON	151	1,760	8.6	(7.3 - 9.9)	Statistically Significantly Lower
2007 - 2008	CHATHAM	41	384	10.7	(7.6 - 13.8)	Not Statistically Significantly Different
2007 - 2008	CHELMSFORD	376	4,015	9.4	(8.5 - 10.3)	Statistically Significantly Lower
2007 - 2008	CHELSEA	370	3,865	9.6	(8.6 - 10.5)	Statistically Significantly Lower
2007 - 2008	CHESHIRE	29	331	8.8	(5.7 - 11.8)	Not Statistically Significantly Different
2007 - 2008	CHESTER	15	147	10.2	(5.3 - 15.1)	Not Statistically Significantly Different
2007 - 2008	CHESTERFIELD	22	122	18.0	(11.2 - 24.9)	Statistically Significantly Higher
2007 - 2008	CHICOPEE	645	5,678	11.4	(10.5 - 12.2)	Not Statistically Significantly Different
2007 - 2008	CHILMARK	NS	70	NS	(NS - NS)	Statistically Significantly Lower
2007 - 2008	CLARKSBURG	24	211	11.4	(7.1 - 15.7)	Not Statistically Significantly Different
2007 - 2008	CLINTON	112	1,401	8.0	(6.6 - 9.4)	Statistically Significantly Lower
2007 - 2008	COHASSET	80	1,136	7.0	(5.6 - 8.5)	Statistically Significantly Lower
2007 - 2008	COLRAIN	25	160	15.6	(10.0 - 21.3)	Not Statistically Significantly Different
2007 - 2008	CONCORD	267	2,062	12.9	(11.5 - 14.4)	Statistically Significantly Higher
2007 - 2008	CONWAY	14	213	6.6	(3.2 - 9.9)	Statistically Significantly Lower
2007 - 2008	CUMMINGTON	7	66	10.6	(3.2 - 18.0)	Not Statistically Significantly Different
2007 - 2008	DALTON	92	833	11.0	(8.9 - 13.2)	Not Statistically Significantly Different
2007 - 2008	DANVERS	289	2,698	10.7	(9.5 - 11.9)	Not Statistically Significantly Different
2007 - 2008	DARTMOUTH	403	3,148	12.8	(11.6 - 14.0)	Statistically Significantly Higher
2007 - 2008	DEDHAM	301	2,413	12.5	(11.2 - 13.8)	Statistically Significantly Higher
2007 - 2008	DEERFIELD	56	557	10.1	(7.6 - 12.6)	Not Statistically Significantly Different
2007 - 2008	DENNIS	95	1,017	9.3	(7.6 - 11.1)	Not Statistically Significantly Different
2007 - 2008	DIGHTON	106	962	11.0	(9.0 - 13.0)	Not Statistically Significantly Different
2007 - 2008	DOUGLAS	78	1,233	6.3	(5.0 - 7.7)	Statistically Significantly Lower
2007 - 2008	DOVER	79	1,043	7.6	(6.0 - 9.2)	Statistically Significantly Lower
2007 - 2008	DRACUT	340	3,528	9.6	(8.7 - 10.6)	Statistically Significantly Lower
2007 - 2008	DUDLEY	167	1,317	12.7	(10.9 - 14.5)	Not Statistically Significantly Different
2007 - 2008	DUNSTABLE	53	520	10.2	(7.6 - 12.8)	Not Statistically Significantly Different
2007 - 2008	DUXBURY	237	2,451	9.7	(8.5 - 10.8)	Not Statistically Significantly Different
2007 - 2008	EAST BRIDGEWATER	94	1,825	5.2	(4.1 - 6.2)	Statistically Significantly Lower
2007 - 2008	EAST BROOKFIELD	14	258	5.4	(2.7 - 8.2)	Statistically Significantly Lower
2007 - 2008	EAST LONGMEADOW	259	2,046	12.7	(11.2 - 14.1)	Statistically Significantly Higher
2007 - 2008	EASTHAM	51	339	15.0	(11.2 - 18.8)	Statistically Significantly Higher
2007 - 2008	EASTHAMPTON	112	1,374	8.2	(6.7 - 9.6)	Statistically Significantly Lower
2007 - 2008	EASTON	246	2,782	8.8	(7.8 - 9.9)	Statistically Significantly Lower
2007 - 2008	EDGARTOWN	20	359	5.6	(3.2 - 7.9)	Statistically Significantly Lower
2007 - 2008	EGREMONT	13	77	16.9	(8.5 - 25.3)	Not Statistically Significantly Different
2007 - 2008	ERVING	30	202	14.9	(9.9 - 19.8)	Not Statistically Significantly Different
2007 - 2008	ESSEX	33	367	9.0	(6.1 - 11.9)	Not Statistically Significantly Different
2007 - 2008	EVERETT	371	4,142	9.0	(8.1 - 9.8)	Statistically Significantly Lower
2007 - 2008	FAIRHAVEN	162	1,500	10.8	(9.2 - 12.4)	Not Statistically Significantly Different
2007 - 2008	FALL RIVER	1,268	9,103	13.9	(13.2 - 14.6)	Statistically Significantly Higher
2007 - 2008	FALMOUTH	319	2,733	11.7	(10.5 - 12.9)	Not Statistically Significantly Different
2007 - 2008	FITCHBURG	592	4,343	13.6	(12.6 - 14.7)	Statistically Significantly Higher

1. When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
2. Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
3. Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.
4. Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
5. NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
6. Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
7. Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
8. NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	FLORIDA	6	89	6.7	(1.5 - 12.0)	Not Statistically Significantly Different
2007 - 2008	FOXBOROUGH	357	2,153	16.6	(15.0 - 18.2)	Statistically Significantly Higher
2007 - 2008	FRAMINGHAM	648	6,296	10.3	(9.5 - 11.0)	Not Statistically Significantly Different
2007 - 2008	FRANKLIN	482	4,857	9.9	(9.1 - 10.8)	Not Statistically Significantly Different
2007 - 2008	FREETOWN	98	1,024	9.6	(7.8 - 11.4)	Not Statistically Significantly Different
2007 - 2008	GARDNER	316	2,089	15.1	(13.6 - 16.7)	Statistically Significantly Higher
2007 - 2008	GEORGETOWN	76	1,191	6.4	(5.0 - 7.8)	Statistically Significantly Lower
2007 - 2008	GILL	6	147	4.1	(0.9 - 7.3)	Statistically Significantly Lower
2007 - 2008	GLOUCESTER	256	2,501	10.2	(9.0 - 11.4)	Not Statistically Significantly Different
2007 - 2008	GOSHEN	15	102	14.7	(7.8 - 21.6)	Not Statistically Significantly Different
2007 - 2008	GOSNOLD	NS	7	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	GRAFTON	204	2,296	8.9	(7.7 - 10.0)	Statistically Significantly Lower
2007 - 2008	GRANBY	104	789	13.2	(10.8 - 15.5)	Not Statistically Significantly Different
2007 - 2008	GRANVILLE	12	188	6.4	(2.9 - 9.9)	Statistically Significantly Lower
2007 - 2008	GREAT BARRINGTON	35	580	6.0	(4.1 - 8.0)	Statistically Significantly Lower
2007 - 2008	GREENFIELD	244	1,558	15.7	(13.9 - 17.5)	Statistically Significantly Higher
2007 - 2008	GROTON	207	1,766	11.7	(10.2 - 13.2)	Not Statistically Significantly Different
2007 - 2008	GROVELAND	39	872	4.5	(3.1 - 5.8)	Statistically Significantly Lower
2007 - 2008	HADLEY	49	476	10.3	(7.6 - 13.0)	Not Statistically Significantly Different
2007 - 2008	HALIFAX	59	947	6.2	(4.7 - 7.8)	Statistically Significantly Lower
2007 - 2008	HAMILTON	87	1,089	8.0	(6.4 - 9.6)	Statistically Significantly Lower
2007 - 2008	HAMPDEN	54	635	8.5	(6.3 - 10.7)	Statistically Significantly Lower
2007 - 2008	HANCOCK	NS	59	NS	(NS - NS)	Statistically Significantly Lower
2007 - 2008	HANOVER	198	2,145	9.2	(8.0 - 10.5)	Statistically Significantly Lower
2007 - 2008	HANSON	97	1,428	6.8	(5.5 - 8.1)	Statistically Significantly Lower
2007 - 2008	HARDWICK	24	280	8.6	(5.3 - 11.9)	Not Statistically Significantly Different
2007 - 2008	HARVARD	61	872	7.0	(5.3 - 8.7)	Statistically Significantly Lower
2007 - 2008	HARWICH	78	1,033	7.6	(5.9 - 9.2)	Statistically Significantly Lower
2007 - 2008	HATFIELD	19	298	6.4	(3.6 - 9.1)	Statistically Significantly Lower
2007 - 2008	HAVERHILL	839	6,313	13.3	(12.5 - 14.1)	Statistically Significantly Higher
2007 - 2008	HAWLEY	NS	24	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	HEATH	11	71	15.5	(7.1 - 23.9)	Not Statistically Significantly Different
2007 - 2008	HINGHAM	275	2,747	10.0	(8.9 - 11.1)	Not Statistically Significantly Different
2007 - 2008	HINSDALE	28	220	12.7	(8.3 - 17.1)	Not Statistically Significantly Different
2007 - 2008	HOLBROOK	119	1,115	10.7	(8.9 - 12.5)	Not Statistically Significantly Different
2007 - 2008	HOLDEN	178	2,304	7.7	(6.6 - 8.8)	Statistically Significantly Lower
2007 - 2008	HOLLAND	43	290	14.8	(10.7 - 18.9)	Not Statistically Significantly Different
2007 - 2008	HOLLISTON	198	2,001	9.9	(8.6 - 11.2)	Not Statistically Significantly Different
2007 - 2008	HOLYOKE	929	3,989	23.3	(22.0 - 24.6)	Statistically Significantly Higher
2007 - 2008	HOPEDALE	62	842	7.4	(5.6 - 9.1)	Statistically Significantly Lower
2007 - 2008	HOPKINTON	208	2,565	8.1	(7.1 - 9.2)	Statistically Significantly Lower
2007 - 2008	HUBBARDSTON	70	590	11.9	(9.3 - 14.5)	Not Statistically Significantly Different
2007 - 2008	HUDSON	214	2,095	10.2	(8.9 - 11.5)	Not Statistically Significantly Different
2007 - 2008	HULL	117	913	12.8	(10.6 - 15.0)	Not Statistically Significantly Different
2007 - 2008	HUNTINGTON	30	252	11.9	(7.9 - 15.9)	Not Statistically Significantly Different
2007 - 2008	IPSWICH	92	1,408	6.5	(5.2 - 7.8)	Statistically Significantly Lower
2007 - 2008	KINGSTON	138	1,714	8.1	(6.8 - 9.3)	Statistically Significantly Lower
2007 - 2008	LAKEVILLE	127	1,434	8.9	(7.4 - 10.3)	Statistically Significantly Lower
2007 - 2008	LANCASTER	103	771	13.4	(11.0 - 15.8)	Statistically Significantly Higher

- When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
- Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
- Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.
- Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
- NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
- Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
- Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
- NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	LANESBOROUGH	38	264	14.4	(10.2 - 18.6)	Not Statistically Significantly Different
2007 - 2008	LAWRENCE	1,809	10,372	17.4	(16.7 - 18.2)	Statistically Significantly Higher
2007 - 2008	LEE	39	570	6.8	(4.8 - 8.9)	Statistically Significantly Lower
2007 - 2008	LEICESTER	110	1,305	8.4	(6.9 - 9.9)	Statistically Significantly Lower
2007 - 2008	LENOX	37	467	7.9	(5.5 - 10.4)	Statistically Significantly Lower
2007 - 2008	LEOMINSTER	445	4,793	9.3	(8.5 - 10.1)	Statistically Significantly Lower
2007 - 2008	LEVERETT	14	131	10.7	(5.4 - 16.0)	Not Statistically Significantly Different
2007 - 2008	LEXINGTON	427	4,338	9.8	(9.0 - 10.7)	Statistically Significantly Lower
2007 - 2008	LEYDEN	NS	69	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	LINCOLN	47	711	6.6	(4.8 - 8.4)	Statistically Significantly Lower
2007 - 2008	LITTLETON	76	1,311	5.8	(4.5 - 7.1)	Statistically Significantly Lower
2007 - 2008	LONGMEADOW	153	2,219	6.9	(5.8 - 7.9)	Statistically Significantly Lower
2007 - 2008	LOWELL	1,522	11,706	13.0	(12.4 - 13.6)	Statistically Significantly Higher
2007 - 2008	LUDLOW	263	2,138	12.3	(10.9 - 13.7)	Not Statistically Significantly Different
2007 - 2008	LUNENBURG	107	1,238	8.6	(7.1 - 10.2)	Statistically Significantly Lower
2007 - 2008	LYNN	1,178	10,408	11.3	(10.7 - 11.9)	Not Statistically Significantly Different
2007 - 2008	LYNNFIELD	94	1,656	5.7	(4.6 - 6.8)	Statistically Significantly Lower
2007 - 2008	MALDEN	552	4,624	11.9	(11.0 - 12.9)	Statistically Significantly Higher
2007 - 2008	MANCHESTER	69	571	12.1	(9.4 - 14.8)	Not Statistically Significantly Different
2007 - 2008	MANSFIELD	473	3,697	12.8	(11.7 - 13.9)	Statistically Significantly Higher
2007 - 2008	MARBLEHEAD	174	2,609	6.7	(5.7 - 7.6)	Statistically Significantly Lower
2007 - 2008	MARION	46	580	7.9	(5.7 - 10.1)	Statistically Significantly Lower
2007 - 2008	MARLBOROUGH	449	3,787	11.9	(10.8 - 12.9)	Not Statistically Significantly Different
2007 - 2008	MARSHFIELD	280	3,429	8.2	(7.2 - 9.1)	Statistically Significantly Lower
2007 - 2008	MASHPEE	135	1,304	10.4	(8.7 - 12.0)	Not Statistically Significantly Different
2007 - 2008	MATTAPOISETT	48	684	7.0	(5.1 - 8.9)	Statistically Significantly Lower
2007 - 2008	MAYNARD	110	1,007	10.9	(9.0 - 12.9)	Not Statistically Significantly Different
2007 - 2008	MEDFIELD	259	2,190	11.8	(10.5 - 13.2)	Not Statistically Significantly Different
2007 - 2008	MEDFORD	464	4,080	11.4	(10.4 - 12.3)	Not Statistically Significantly Different
2007 - 2008	MEDWAY	222	2,055	10.8	(9.5 - 12.1)	Not Statistically Significantly Different
2007 - 2008	MELROSE	398	2,895	13.7	(12.5 - 15.0)	Statistically Significantly Higher
2007 - 2008	MENDON	98	922	10.6	(8.6 - 12.6)	Not Statistically Significantly Different
2007 - 2008	MERRIMAC	74	932	7.9	(6.2 - 9.7)	Statistically Significantly Lower
2007 - 2008	METHUEN	393	5,685	6.9	(6.3 - 7.6)	Statistically Significantly Lower
2007 - 2008	MIDDLEBOROUGH	370	2,775	13.3	(12.1 - 14.6)	Statistically Significantly Higher
2007 - 2008	MIDDLEFIELD	6	40	15.0	(3.9 - 26.1)	Not Statistically Significantly Different
2007 - 2008	MIDDLETON	108	1,110	9.7	(8.0 - 11.5)	Not Statistically Significantly Different
2007 - 2008	MILFORD	300	3,058	9.8	(8.8 - 10.9)	Not Statistically Significantly Different
2007 - 2008	MILLBURY	176	1,337	13.2	(11.4 - 15.0)	Statistically Significantly Higher
2007 - 2008	MILLIS	79	1,034	7.6	(6.0 - 9.3)	Statistically Significantly Lower
2007 - 2008	MILLVILLE	38	459	8.3	(5.8 - 10.8)	Not Statistically Significantly Different
2007 - 2008	MILTON	302	3,274	9.2	(8.2 - 10.2)	Statistically Significantly Lower
2007 - 2008	MONROE	NS	13	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	MONSON	224	1,088	20.6	(18.2 - 23.0)	Statistically Significantly Higher
2007 - 2008	MONTAGUE	68	682	10.0	(7.7 - 12.2)	Not Statistically Significantly Different
2007 - 2008	MONTEREY	7	75	9.3	(2.7 - 15.9)	Not Statistically Significantly Different
2007 - 2008	MONTGOMERY	9	64	14.1	(5.5 - 22.6)	Not Statistically Significantly Different
2007 - 2008	MOUNT WASHINGTON	NS	11	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	NAHANT	35	304	11.5	(7.9 - 15.1)	Not Statistically Significantly Different

1. When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.

2. Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.

3. Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.

4. Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.

5. NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.

6. Data source: Bureau of Environmental Health Massachusetts Department of Public Health.

7. Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.

8. NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	NANTUCKET	76	1,001	7.6	(6.0 - 9.2)	Statistically Significantly Lower
2007 - 2008	NATICK	387	3,805	10.2	(9.2 - 11.1)	Not Statistically Significantly Different
2007 - 2008	NEEDHAM	432	4,208	10.3	(9.3 - 11.2)	Not Statistically Significantly Different
2007 - 2008	NEW ASHFORD	0	23	0.0	(0.0 - 0.0)	Statistically Significantly Lower
2007 - 2008	NEW BEDFORD	1,752	10,337	16.9	(16.2 - 17.7)	Statistically Significantly Higher
2007 - 2008	NEW BRAintree	13	92	14.1	(7.0 - 21.2)	Not Statistically Significantly Different
2007 - 2008	NEW MARLBOROUGH	15	143	10.5	(5.5 - 15.5)	Not Statistically Significantly Different
2007 - 2008	NEW SALEM	15	85	17.6	(9.5 - 25.8)	Not Statistically Significantly Different
2007 - 2008	NEWBURY	36	847	4.3	(2.9 - 5.6)	Statistically Significantly Lower
2007 - 2008	NEWBURYPORT	155	1,897	8.2	(6.9 - 9.4)	Statistically Significantly Lower
2007 - 2008	NEWTON	878	9,202	9.5	(8.9 - 10.1)	Statistically Significantly Lower
2007 - 2008	NORFOLK	131	1,465	8.9	(7.5 - 10.4)	Statistically Significantly Lower
2007 - 2008	NORTH ADAMS	152	1,238	12.3	(10.4 - 14.1)	Not Statistically Significantly Different
2007 - 2008	NORTH ANDOVER	360	3,802	9.5	(8.5 - 10.4)	Statistically Significantly Lower
2007 - 2008	NORTH ATTLEBOROUGH	516	3,775	13.7	(12.6 - 14.8)	Statistically Significantly Higher
2007 - 2008	NORTH BROOKFIELD	27	546	4.9	(3.1 - 6.8)	Statistically Significantly Lower
2007 - 2008	NORTH READING	221	2,062	10.7	(9.4 - 12.1)	Not Statistically Significantly Different
2007 - 2008	NORTHAMPTON	253	2,239	11.3	(10.0 - 12.6)	Not Statistically Significantly Different
2007 - 2008	NORTHBOROUGH	159	1,949	8.2	(6.9 - 9.4)	Statistically Significantly Lower
2007 - 2008	NORTHBRIDGE	183	1,986	9.2	(7.9 - 10.5)	Statistically Significantly Lower
2007 - 2008	NORTHFIELD	49	388	12.6	(9.3 - 15.9)	Not Statistically Significantly Different
2007 - 2008	NORTON	236	2,489	9.5	(8.3 - 10.6)	Statistically Significantly Lower
2007 - 2008	NORWELL	173	1,731	10.0	(8.6 - 11.4)	Not Statistically Significantly Different
2007 - 2008	NORWOOD	232	2,697	8.6	(7.5 - 9.7)	Statistically Significantly Lower
2007 - 2008	OAK BLUFFS	40	430	9.3	(6.6 - 12.0)	Not Statistically Significantly Different
2007 - 2008	OAKHAM	31	221	14.0	(9.4 - 18.6)	Not Statistically Significantly Different
2007 - 2008	ORANGE	139	708	19.6	(16.7 - 22.6)	Statistically Significantly Higher
2007 - 2008	ORLEANS	40	291	13.7	(9.8 - 17.7)	Not Statistically Significantly Different
2007 - 2008	OTIS	10	102	9.8	(4.0 - 15.6)	Not Statistically Significantly Different
2007 - 2008	OXFORD	62	1,475	4.2	(3.2 - 5.2)	Statistically Significantly Lower
2007 - 2008	PALMER	232	1,377	16.8	(14.9 - 18.8)	Statistically Significantly Higher
2007 - 2008	PAXTON	25	553	4.5	(2.8 - 6.3)	Statistically Significantly Lower
2007 - 2008	PEABODY	469	4,913	9.5	(8.7 - 10.4)	Statistically Significantly Lower
2007 - 2008	PELHAM	9	126	7.1	(2.6 - 11.6)	Not Statistically Significantly Different
2007 - 2008	PEMBROKE	223	2,490	9.0	(7.8 - 10.1)	Statistically Significantly Lower
2007 - 2008	PEPPERELL	224	1,590	14.1	(12.4 - 15.8)	Statistically Significantly Higher
2007 - 2008	PERU	14	93	15.1	(7.8 - 22.3)	Not Statistically Significantly Different
2007 - 2008	PETERSHAM	15	148	10.1	(5.3 - 15.0)	Not Statistically Significantly Different
2007 - 2008	PHILLIPSTON	16	209	7.7	(4.1 - 11.3)	Not Statistically Significantly Different
2007 - 2008	PITTSFIELD	461	4,648	9.9	(9.1 - 10.8)	Not Statistically Significantly Different
2007 - 2008	PLAINFIELD	8	57	14.0	(5.0 - 23.1)	Not Statistically Significantly Different
2007 - 2008	PLAINVILLE	169	1,042	16.2	(14.0 - 18.5)	Statistically Significantly Higher
2007 - 2008	PLYMOUTH	568	6,249	9.1	(8.4 - 9.8)	Statistically Significantly Lower
2007 - 2008	PLYMPTON	31	326	9.5	(6.3 - 12.7)	Not Statistically Significantly Different
2007 - 2008	PRINCETON	30	460	6.5	(4.3 - 8.8)	Statistically Significantly Lower
2007 - 2008	PROVINCETOWN	14	97	14.4	(7.4 - 21.4)	Not Statistically Significantly Different
2007 - 2008	QUINCY	745	6,655	11.2	(10.4 - 12.0)	Not Statistically Significantly Different
2007 - 2008	RANDOLPH	456	2,920	15.6	(14.3 - 16.9)	Statistically Significantly Higher
2007 - 2008	RAYNHAM	123	1,797	6.8	(5.7 - 8.0)	Statistically Significantly Lower

1. When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.

2. Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.

3. Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.

4. Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.

5. NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.

6. Data source: Bureau of Environmental Health Massachusetts Department of Public Health.

7. Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.

8. NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	READING	208	3,162	6.6	(5.7 - 7.4)	Statistically Significantly Lower
2007 - 2008	REHOBOTH	98	1,375	7.1	(5.8 - 8.5)	Statistically Significantly Lower
2007 - 2008	REVERE	442	4,463	9.9	(9.0 - 10.8)	Not Statistically Significantly Different
2007 - 2008	RICHMOND	15	156	9.6	(5.0 - 14.2)	Not Statistically Significantly Different
2007 - 2008	ROCHESTER	59	752	7.8	(5.9 - 9.8)	Statistically Significantly Lower
2007 - 2008	ROCKLAND	178	2,093	8.5	(7.3 - 9.7)	Statistically Significantly Lower
2007 - 2008	ROCKPORT	65	737	8.8	(6.8 - 10.9)	Not Statistically Significantly Different
2007 - 2008	ROWE	12	40	30.0	(15.8 - 44.2)	Statistically Significantly Higher
2007 - 2008	ROWLEY	51	758	6.7	(4.9 - 8.5)	Statistically Significantly Lower
2007 - 2008	ROYALSTON	16	190	8.4	(4.5 - 12.4)	Not Statistically Significantly Different
2007 - 2008	RUSSELL	16	220	7.3	(3.8 - 10.7)	Statistically Significantly Lower
2007 - 2008	RUTLAND	87	1,232	7.1	(5.6 - 8.5)	Statistically Significantly Lower
2007 - 2008	SALEM	393	3,307	11.9	(10.8 - 13.0)	Not Statistically Significantly Different
2007 - 2008	SALISBURY	35	883	4.0	(2.7 - 5.3)	Statistically Significantly Lower
2007 - 2008	SANDSFIELD	NS	70	NS	(NS - NS)	Not Statistically Significantly Different
2007 - 2008	SANDWICH	242	2,676	9.0	(8.0 - 10.1)	Statistically Significantly Lower
2007 - 2008	SAUGUS	265	2,503	10.6	(9.4 - 11.8)	Not Statistically Significantly Different
2007 - 2008	SAVOY	6	98	6.1	(1.4 - 10.9)	Not Statistically Significantly Different
2007 - 2008	SCITUATE	215	2,422	8.9	(7.7 - 10.0)	Statistically Significantly Lower
2007 - 2008	SEEKONK	165	1,501	11.0	(9.4 - 12.6)	Not Statistically Significantly Different
2007 - 2008	SHARON	184	2,477	7.4	(6.4 - 8.5)	Statistically Significantly Lower
2007 - 2008	SHEFFIELD	52	392	13.3	(9.9 - 16.6)	Not Statistically Significantly Different
2007 - 2008	SHELBURNE	42	143	29.4	(21.9 - 36.8)	Statistically Significantly Higher
2007 - 2008	SHERBORN	74	744	9.9	(7.8 - 12.1)	Not Statistically Significantly Different
2007 - 2008	SHIRLEY	62	658	9.4	(7.2 - 11.7)	Not Statistically Significantly Different
2007 - 2008	SHREWSBURY	417	4,540	9.2	(8.3 - 10.0)	Statistically Significantly Lower
2007 - 2008	SHUTESBURY	17	167	10.2	(5.6 - 14.8)	Not Statistically Significantly Different
2007 - 2008	SOMERSET	210	1,825	11.5	(10.0 - 13.0)	Not Statistically Significantly Different
2007 - 2008	SOMERVILLE	245	3,821	6.4	(5.6 - 7.2)	Statistically Significantly Lower
2007 - 2008	SOUTH HADLEY	155	1,570	9.9	(8.4 - 11.3)	Not Statistically Significantly Different
2007 - 2008	SOUTHAMPTON	74	640	11.6	(9.1 - 14.0)	Not Statistically Significantly Different
2007 - 2008	SOUTHBOROUGH	147	1,650	8.9	(7.5 - 10.3)	Statistically Significantly Lower
2007 - 2008	SOUTHBRIDGE	309	1,922	16.1	(14.4 - 17.7)	Statistically Significantly Higher
2007 - 2008	SOUTHWICK	139	1,198	11.6	(9.8 - 13.4)	Not Statistically Significantly Different
2007 - 2008	SPENCER	132	1,274	10.4	(8.7 - 12.0)	Not Statistically Significantly Different
2007 - 2008	SPRINGFIELD	3,675	20,930	17.6	(17.0 - 18.1)	Statistically Significantly Higher
2007 - 2008	STERLING	90	1,013	8.9	(7.1 - 10.6)	Statistically Significantly Lower
2007 - 2008	STOCKBRIDGE	11	128	8.6	(3.7 - 13.4)	Not Statistically Significantly Different
2007 - 2008	STONEHAM	170	2,155	7.9	(6.8 - 9.0)	Statistically Significantly Lower
2007 - 2008	STOUGHTON	328	3,014	10.9	(9.8 - 12.0)	Not Statistically Significantly Different
2007 - 2008	STOW	75	918	8.2	(6.4 - 9.9)	Statistically Significantly Lower
2007 - 2008	STURBRIDGE	120	1,080	11.1	(9.2 - 13.0)	Not Statistically Significantly Different
2007 - 2008	SUDBURY	350	3,147	11.1	(10.0 - 12.2)	Not Statistically Significantly Different
2007 - 2008	SUNDERLAND	22	277	7.9	(4.8 - 11.1)	Not Statistically Significantly Different
2007 - 2008	SUTTON	138	1,281	10.8	(9.1 - 12.5)	Not Statistically Significantly Different
2007 - 2008	SWAMPSCOTT	145	1,571	9.2	(7.8 - 10.7)	Statistically Significantly Lower
2007 - 2008	SWANSEA	216	1,628	13.3	(11.6 - 14.9)	Statistically Significantly Higher
2007 - 2008	TAUNTON	630	6,323	10.0	(9.2 - 10.7)	Statistically Significantly Lower
2007 - 2008	TEMPLETON	132	1,023	12.9	(10.8 - 15.0)	Not Statistically Significantly Different

- When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
- Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
- Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.
- Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
- NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
- Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
- Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
- NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	TEWKSBURY	341	3,552	9.6	(8.6 - 10.6)	Statistically Significantly Lower
2007 - 2008	TISBURY	26	349	7.4	(4.7 - 10.2)	Statistically Significantly Lower
2007 - 2008	TOLLAND	6	49	12.2	(3.1 - 21.4)	Not Statistically Significantly Different
2007 - 2008	TOPSFIELD	79	929	8.5	(6.7 - 10.3)	Statistically Significantly Lower
2007 - 2008	TOWNSEND	170	1,238	13.7	(11.8 - 15.6)	Statistically Significantly Higher
2007 - 2008	TRURO	8	122	6.6	(2.2 - 10.9)	Not Statistically Significantly Different
2007 - 2008	TYNGSBOROUGH	209	1,593	13.1	(11.5 - 14.8)	Statistically Significantly Higher
2007 - 2008	TYRINGHAM	0	21	0.0	(0.0 - 0.0)	Statistically Significantly Lower
2007 - 2008	UPTON	123	1,162	10.6	(8.8 - 12.4)	Not Statistically Significantly Different
2007 - 2008	UXBRIDGE	160	1,701	9.4	(8.0 - 10.8)	Not Statistically Significantly Different
2007 - 2008	WAKEFIELD	309	2,592	11.9	(10.7 - 13.2)	Not Statistically Significantly Different
2007 - 2008	WALES	24	215	11.2	(7.0 - 15.4)	Not Statistically Significantly Different
2007 - 2008	WALPOLE	336	3,150	10.7	(9.6 - 11.7)	Not Statistically Significantly Different
2007 - 2008	WALTHAM	323	3,692	8.7	(7.8 - 9.7)	Statistically Significantly Lower
2007 - 2008	WARE	132	1,014	13.0	(10.9 - 15.1)	Not Statistically Significantly Different
2007 - 2008	WAREHAM	259	2,366	10.9	(9.7 - 12.2)	Not Statistically Significantly Different
2007 - 2008	WARREN	83	632	13.1	(10.5 - 15.8)	Not Statistically Significantly Different
2007 - 2008	WARWICK	14	67	20.9	(11.2 - 30.6)	Statistically Significantly Higher
2007 - 2008	WASHINGTON	6	43	14.0	(3.6 - 24.3)	Not Statistically Significantly Different
2007 - 2008	WATERTOWN	179	1,946	9.2	(7.9 - 10.5)	Statistically Significantly Lower
2007 - 2008	WAYLAND	134	1,921	7.0	(5.8 - 8.1)	Statistically Significantly Lower
2007 - 2008	WEBSTER	137	1,707	8.0	(6.7 - 9.3)	Statistically Significantly Lower
2007 - 2008	WELLESLEY	432	4,102	10.5	(9.6 - 11.5)	Not Statistically Significantly Different
2007 - 2008	WELLFLEET	17	199	8.5	(4.7 - 12.4)	Not Statistically Significantly Different
2007 - 2008	WENDELL	11	59	18.6	(8.7 - 28.6)	Not Statistically Significantly Different
2007 - 2008	WENHAM	46	540	8.5	(6.2 - 10.9)	Not Statistically Significantly Different
2007 - 2008	WEST BOYLSTON	55	693	7.9	(5.9 - 9.9)	Statistically Significantly Lower
2007 - 2008	WEST BRIDGEWATER	71	867	8.2	(6.4 - 10.0)	Statistically Significantly Lower
2007 - 2008	WEST BROOKFIELD	64	425	15.1	(11.7 - 18.5)	Statistically Significantly Higher
2007 - 2008	WEST NEWBURY	65	635	10.2	(7.9 - 12.6)	Not Statistically Significantly Different
2007 - 2008	WEST SPRINGFIELD	188	2,957	6.4	(5.5 - 7.2)	Statistically Significantly Lower
2007 - 2008	WEST STOCKBRIDGE	7	121	5.8	(1.6 - 9.9)	Statistically Significantly Lower
2007 - 2008	WEST TISBURY	10	271	3.7	(1.4 - 5.9)	Statistically Significantly Lower
2007 - 2008	WESTBOROUGH	207	2,421	8.6	(7.4 - 9.7)	Statistically Significantly Lower
2007 - 2008	WESTFIELD	413	4,501	9.2	(8.3 - 10.0)	Statistically Significantly Lower
2007 - 2008	WESTFORD	364	3,777	9.6	(8.7 - 10.6)	Statistically Significantly Lower
2007 - 2008	WESTHAMPTON	36	174	20.7	(14.7 - 26.7)	Statistically Significantly Higher
2007 - 2008	WESTMINSTER	75	925	8.1	(6.3 - 9.9)	Statistically Significantly Lower
2007 - 2008	WESTON	113	1,800	6.3	(5.2 - 7.4)	Statistically Significantly Lower
2007 - 2008	WESTPORT	131	1,570	8.3	(7.0 - 9.7)	Statistically Significantly Lower
2007 - 2008	WESTWOOD	220	2,314	9.5	(8.3 - 10.7)	Statistically Significantly Lower
2007 - 2008	WEYMOUTH	668	5,394	12.4	(11.5 - 13.3)	Statistically Significantly Higher
2007 - 2008	WHATELY	14	172	8.1	(4.1 - 12.2)	Not Statistically Significantly Different
2007 - 2008	WHITMAN	260	1,690	15.4	(13.7 - 17.1)	Statistically Significantly Higher
2007 - 2008	WILBRAHAM	178	1,819	9.8	(8.4 - 11.2)	Not Statistically Significantly Different
2007 - 2008	WILLIAMSBURG	24	203	11.8	(7.4 - 16.3)	Not Statistically Significantly Different
2007 - 2008	WILLIAMSTOWN	30	406	7.4	(4.8 - 9.9)	Statistically Significantly Lower
2007 - 2008	WILMINGTON	278	2,942	9.4	(8.4 - 10.5)	Statistically Significantly Lower
2007 - 2008	WINCHENDON	107	1,287	8.3	(6.8 - 9.8)	Statistically Significantly Lower

- When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
- Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
- Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.
- Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
- NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
- Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
- Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
- NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008

Year	Community	Community Asthmatics	Community School Enrollment	Community Prevalence (%)	95% Confidence Interval	Statistical Significance of Difference from State Prevalence
2007 - 2008	WINCHESTER	270	2,844	9.5	(8.4 - 10.6)	Statistically Significantly Lower
2007 - 2008	WINDSOR	9	111	8.1	(3.0 - 13.2)	Not Statistically Significantly Different
2007 - 2008	WINTHROP	180	1,467	12.3	(10.6 - 13.9)	Not Statistically Significantly Different
2007 - 2008	WOBURN	349	3,557	9.8	(8.8 - 10.8)	Not Statistically Significantly Different
2007 - 2008	WORCESTER	2,181	18,634	11.7	(11.2 - 12.2)	Statistically Significantly Higher
2007 - 2008	WORTHINGTON	10	82	12.2	(5.1 - 19.3)	Not Statistically Significantly Different
2007 - 2008	WRENTHAM	82	1,592	5.2	(4.1 - 6.2)	Statistically Significantly Lower
2007 - 2008	YARMOUTH	178	1,787	10.0	(8.6 - 11.3)	Not Statistically Significantly Different

Pediatric Asthma Prevalence in Massachusetts

Year	State Prevalence (%)	State 95% Confidence Interval
2007 - 2008	10.8	(10.8 - 10.9)



Report Query Selections:

Year = (2007 - 2008); Communities = (001 - ABINGTON, 002 - ACTON, 003 - ACUSHNET, 004 - ADAMS, 005 - AGAWAM, 006 - ALFORD, 007 - AMESBURY, 008 - AMHERST, 009 - ANDOVER, 010 - ARLINGTON, 011 - ASHBURNHAM, 012 - ASHBY, 013 - ASHFIELD, 014 - ASHLAND, 015 - ATHOL, 016 - ATTLEBORO, 017 - AUBURN, 018 - AVON, 019 - AYER, 020 - BARNSTABLE, 021 - BARRE, 022 - BECKET, 023 - BEDFORD, 024 - BELCHERTOWN, 025 - BELLINGHAM, 026 - BELMONT, 027 - BERKLEY, 028 - BERLIN, 029 - BERNARDSTON, 030 - BEVERLY, 031 - BILLERICA, 032 - BLACKSTONE, 033 - BLANDFORD, 034 - BOLTON, 035 - BOSTON, 036 - BOURNE, 037 - BOXBOROUGH, 038 - BOXFORD, 039 - BOYLSTON, 040 - BRAintree, 041 - BREWSTER, 042 - BRIDGEWATER, 043 - BRIMFIELD, 044 - BROCKTON, 045 - BROOKFIELD, 046 - BROOKLINE, 047 - BUCKLAND, 048 - BURLINGTON, 049 - CAMBRIDGE, 050 - CANTON, 051 - CARLISLE, 052 - CARVER, 053 - CHARLEMONT, 054 - CHARLTON, 055 - CHATHAM, 056 - CHELMSFORD, 057 - CHELSEA, 058 - CHESHIRE, 059 - CHESTER, 060 - CHESTERFIELD, 061 - CHICOPEE, 062 - CHILMARK, 063 - CLARKSBURG, 064 - CLINTON, 065 - COHASSET, 066 - COLRAIN, 067 - CONCORD, 068 - CONWAY, 069 - CUMMINGTON, 070 - DALTON, 071 - DANVERS, 072 - DARTMOUTH, 073 - DEDHAM, 074 - DEERFIELD, 075 - DENNIS, 076 - DIGHTON, 077 - DOUGLAS, 078 - DOVER, 079 - DRACUT, 080 - DUDLEY, 081 - DUNSTABLE, 082 - DUXBURY, 083 - EAST BRIDGEWATER, 084 - EAST BROOKFIELD, 085 - EAST LONGMEADOW, 086 - EASTHAM, 087 - EASTHAMPTON, 088 - EASTON, 089 - EDGARTOWN, 090 - EGREMONT, 091 - ERVING, 092 - ESSEX, 093 - EVERETT, 094 - FAIRHAVEN, 095 - FALL RIVER, 096 - FALMOUTH, 097 - FITCHBURG, 098 - FLORIDA, 099 - FOXBOROUGH, 100 - FRAMINGHAM, 101 - FRANKLIN, 102 - FREETOWN, 103 - GARDNER, 104 - AQUINNAH, 105 - GEORGETOWN, 106 - GILL, 107 - GLOUCESTER, 108 - GOSHEN, 109 - GOSNOLD, 110 - GRAFTON, 111 - GRANBY, 112 - GRANVILLE, 113 - GREAT BARRINGTON, 114 - GREENFIELD, 115 - GROTON, 116 - GROVELAND, 117 - HADLEY, 118 - HALIFAX, 119 - HAMILTON, 120 - HAMPDEN, 121 - HANCOCK, 122 - HANOVER, 123 - HANSON, 124 - HARDWICK, 125 - HARVARD, 126 - HARWICH, 127 - HATFIELD, 128 - HAVERHILL, 129 - HAWLEY, 130 - HEATH, 131 - HINGHAM, 132 - HINSDALE, 133 - HOLBROOK, 134 - HOLDEN, 135 - HOLLAND, 136 - HOLLISTON, 137 - HOLYOKE, 138 - HOPEDALE, 139 - HOPKINTON, 140 - HUBBARDSTON, 141 - HUDSON, 142 - HULL, 143 - HUNTINGTON, 144 - IPSWICH, 145 - KINGSTON, 146 - LAKEVILLE, 147 - LANCASTER, 148 - LANESBOROUGH, 149 - LAWRENCE, 150 - LEE, 151 - LEICESTER, 152 - LENOX, 153 - LEOMINSTER, 154 - LEVERETT, 155 - LEXINGTON, 156 - LEYDEN, 157 - LINCOLN, 158 - LITTLETON, 159 - LONGMEADOW, 160 - LOWELL, 161 - LUDLOW, 162 - LUNENBURG, 163 - LYNN, 164 - LYNNFIELD, 165 - MALDEN, 166 - MANCHESTER, 167 - MANSFIELD, 168 - MARBLEHEAD, 169 - MARION, 170 - MARLBOROUGH, 171 - MARSHFIELD, 172 - MASHPEE, 173 - MATTAPOISETT, 174 - MAYNARD, 175 - MEDFIELD, 176 - MEDFORD, 177 - MEDWAY, 178 - MELROSE, 179 - MENDON, 180 - MERRIMAC, 181 - METHUEN, 182 - MIDDLEBOROUGH, 183 - MIDDLEFIELD, 184 - MIDDLETON, 185 - MILFORD, 186 - MILLBURY, 187 - MILLIS, 188 - MILLVILLE, 189 - MILTON, 190 - MONROE, 191 - MONSON, 192 - MONTAGUE, 193 - MONTEREY, 194 - MONTGOMERY, 195 - MOUNT WASHINGTON, 196 - NAHANT, 197 - NANTUCKET, 198 - NATICK, 199 - NEEDHAM, 200 - NEW ASHFORD, 201 - NEW BEDFORD, 202 - NEW BRAintree, 203 - NEW MARLBOROUGH, 204 - NEW SALEM, 205 - NEWBURY, 206 - NEWBURYPORT, 207 - NEWTON, 208 - NORFOLK, 209 - NORTH ADAMS, 210 - NORTH ANDOVER, 211 - NORTH ATTLEBOROUGH, 212 - NORTH BROOKFIELD, 213 - NORTH READING, 214 - NORTHAMPTON, 215 - NORTHBOROUGH, 216 - NORTHBRIDGE, 217 - NORTHFIELD, 218 - NORTON, 219 - NORWELL, 220 - NORWOOD, 221 - OAK BLUFFS, 222 - OAKHAM, 223 - ORANGE, 224 - ORLEANS, 225 - OTIS, 226 - OXFORD, 227 - PALMER, 228 - PAXTON, 229 - PEABODY, 230 - PELHAM, 231 - PEMBROKE, 232 - PEPPERELL, 233 - PERU, 234 - PETERSHAM, 235 - PHILLIPSTON, 236 - PITTSFIELD, 237 - PLAINFIELD, 238 - PLAINVILLE, 239 - PLYMOUTH, 240 - PLYMPTON, 241 - PRINCETON, 242 - PROVINCETOWN, 243 - QUINCY, 244 - RANDOLPH, 245 - RAYNHAM, 246 - READING, 247 - REHOBOTH, 248 - REVERE, 249 - RICHMOND, 250 - ROCHESTER, 251 - ROCKLAND, 252 - ROCKPORT, 253 - ROWE, 254 - ROWLEY, 255 - ROYALSTON, 256 - RUSSELL, 257 - RUTLAND, 258 - SALEM, 259 - SALISBURY, 260 - SANDISFIELD, 261 - SANDWICH, 262 - SAUGUS, 263 - SAVOY, 264 - SCITUATE, 265 - SEEKONK, 266 - SHARON, 267 - SHEFFIELD, 268 - SHELburne, 269 - SHERBORN, 270 - SHIRLEY, 271 - SHREWSBURY, 272 - SHUTESBURY, 273 - SOMERSET, 274 - SOMERVILLE, 275 - SOUTH HADLEY, 276 - SOUTHAMPTON, 277 - SOUTHBOROUGH, 278 - SOUTHBRIDGE, 279 - SOUTHWICK, 280 - SPENCER, 281 - SPRINGFIELD, 282 - STERLING, 283 - STOCKBRIDGE, 284 - STONEHAM, 285 - STOUGHTON, 286 - STOW, 287 - STURBRIDGE, 288 - SUDBURY, 289 - SUNDERLAND, 290 - SUTTON, 291 - SWAMPSCOTT, 292 - SWANSEA, 293 - TAUNTON, 294 - TEMPLETON, 295 - TEWKSBURY, 296 - TISBURY, 297 - TOLLAND, 298 - TOPSFIELD, 299 - TOWNSEND, 300 - TRURO, 301 - TYNGSBOROUGH, 302 - TYRINGHAM, 303 - UPTON, 304 - UXBRIDGE, 305 - WAKEFIELD, 306 - WALES, 307 - WALPOLE, 308 - WALTHAM, 309 - WARE, 310 - WAREHAM, 311 - WARREN, 312 - WARWICK, 313 - WASHINGTON, 314 - WATERTOWN, 315 - WAYLAND, 316 - WEBSTER, 317 - WELLESLEY, 318 - WELLFLEET, 319 - WENDELL, 320 - WENHAM, 321 - WEST BOYLSTON, 322 - WEST BRIDGEWATER, 323 - WEST BROOKFIELD, 324 - WEST NEWBURY, 325 - WEST SPRINGFIELD, 326 - WEST STOCKBRIDGE, 327 - WEST TISBURY, 328 - WESTBOROUGH, 329 - WESTFIELD, 330 - WESTFORD, 331 - WESTHAMPTON, 332 - WESTMINSTER, 333 - WESTON, 334 - WESTPORT, 335 - WESTWOOD, 336 - WEYMOUTH, 337 - WHATELY, 338 - WHITMAN, 339 - WILBRAHAM, 340 - WILLIAMSBURG, 341 - WILLIAMSTOWN, 342 - WILMINGTON, 343 - WINCHENDON, 344 - WINCHESTER, 345 - WINDSOR, 346 - WINTHROP, 347 - WOBURN, 348 - WORCESTER, 349 - WORTHINGTON, 350 - WRENTHAM, 351 - YARMOUTH).

- When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
- Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
- Statistical significance indicates that prevalence is different from the state prevalence and the difference is unlikely due to chance.
- Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
- NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
- Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
- Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
- NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

Pediatric Asthma Prevalence in Selected Massachusetts Communities of Residence in 2007 - 2008



Report Query Selections:

Year = (2007 - 2008); Communities = (001 - ABINGTON, 002 - ACTON, 003 - ACUSHNET, 004 - ADAMS, 005 - AGAWAM, 006 - ALFORD, 007 - AMESBURY, 008 - AMHERST, 009 - ANDOVER, 010 - ARLINGTON, 011 - ASHBURNHAM, 012 - ASHBY, 013 - ASHFIELD, 014 - ASHLAND, 015 - ATHOL, 016 - ATTLEBORO, 017 - AUBURN, 018 - AVON, 019 - AYER, 020 - BARNSTABLE, 021 - BARRE, 022 - BECKET, 023 - BEDFORD, 024 - BELCHERTOWN, 025 - BELLINGHAM, 026 - BELMONT, 027 - BERKLEY, 028 - BERLIN, 029 - BERNARDSTON, 030 - BEVERLY, 031 - BILLERICA, 032 - BLACKSTONE, 033 - BLANDFORD, 034 - BOLTON, 035 - BOSTON, 036 - BOURNE, 037 - BOXBOROUGH, 038 - BOXFORD, 039 - BOYLSTON, 040 - BRAintree, 041 - BREWSTER, 042 - BRIDGEWATER, 043 - BRIMFIELD, 044 - BROCKTON, 045 - BROOKFIELD, 046 - BROOKLINE, 047 - BUCKLAND, 048 - BURLINGTON, 049 - CAMBRIDGE, 050 - CANTON, 051 - CARLISLE, 052 - CARVER, 053 - CHARLEMONT, 054 - CHARLTON, 055 - CHATHAM, 056 - CHELMSFORD, 057 - CHELSEA, 058 - CHESHIRE, 059 - CHESTER, 060 - CHESTERFIELD, 061 - CHICOPEE, 062 - CHILMARK, 063 - CLARKSBURG, 064 - CLINTON, 065 - COHASSET, 066 - COLRAIN, 067 - CONCORD, 068 - CONWAY, 069 - CUMMINGTOWN, 070 - DALTON, 071 - DANVERS, 072 - DARTMOUTH, 073 - DEDHAM, 074 - DEERFIELD, 075 - DENNIS, 076 - DIGHTON, 077 - DOUGLAS, 078 - DOVER, 079 - DRACUT, 080 - DUDLEY, 081 - DUNSTABLE, 082 - DUXBURY, 083 - EAST BRIDGEWATER, 084 - EAST BROOKFIELD, 085 - EAST LONGMEADOW, 086 - EASTHAM, 087 - EASTHAMPTON, 088 - EASTON, 089 - EDGARTOWN, 090 - EGREMONT, 091 - ERVING, 092 - ESSEX, 093 - EVERETT, 094 - FAIRHAVEN, 095 - FALL RIVER, 096 - FALMOUTH, 097 - FITCHBURG, 098 - FLORIDA, 099 - FOXBOROUGH, 100 - FRAMINGHAM, 101 - FRANKLIN, 102 - FREETOWN, 103 - GARDNER, 104 - AQUINNAH, 105 - GEORGETOWN, 106 - GILL, 107 - GLOUCESTER, 108 - GOSHEN, 109 - GOSNOLD, 110 - GRAFTON, 111 - GRANBY, 112 - GRANVILLE, 113 - GREAT BARRINGTON, 114 - GREENFIELD, 115 - GROTON, 116 - GROVELAND, 117 - HADLEY, 118 - HALIFAX, 119 - HAMILTON, 120 - HAMPDEN, 121 - HANCOCK, 122 - HANOVER, 123 - HANSON, 124 - HARDWICK, 125 - HARVARD, 126 - HARWICH, 127 - HATFIELD, 128 - HAVERHILL, 129 - HAWLEY, 130 - HEATH, 131 - HINGHAM, 132 - HINSDALE, 133 - HOLBROOK, 134 - HOLDEN, 135 - HOLLAND, 136 - HOLLISTON, 137 - HOLYOKE, 138 - HOPDEALE, 139 - HOPKINTON, 140 - HUBBARDSTON, 141 - HUDSON, 142 - HULL, 143 - HUNTINGTON, 144 - IPSWICH, 145 -

- When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
- Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
- Statistical significant rates indicate that the rate is different from the rate for the state as a whole and the difference is unlikely due to chance.
- Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
- NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
- Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
- Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
- NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)

KINGSTON, 146 - LAKEVILLE, 147 - LANCASTER, 148 - LANESBOROUGH, 149 - LAWRENCE, 150 - LEE, 151 - LEICESTER, 152 - LENOX, 153 - LEOMINSTER, 154 - LEVERETT, 155 - LEXINGTON, 156 - LEYDEN, 157 - LINCOLN, 158 - LITTLETON, 159 - LONGMEADOW, 160 - LOWELL, 161 - LUDLOW, 162 - LUNENBURG, 163 - LYNN, 164 - LYNNFIELD, 165 - MALDEN, 166 - MANCHESTER, 167 - MANSFIELD, 168 - MARBLEHEAD, 169 - MARION, 170 - MARLBOROUGH, 171 - MARSHFIELD, 172 - MASHPEE, 173 - MATTAPOISETT, 174 - MAYNARD, 175 - MEDFIELD, 176 - MEDFORD, 177 - MEDWAY, 178 - MELROSE, 179 - MENDON, 180 - MERRIMAC, 181 - METHUEN, 182 - MIDDLEBOROUGH, 183 - MIDDLEFIELD, 184 - MIDDLETON, 185 - MILFORD, 186 - MILLBURY, 187 - MILLIS, 188 - MILLVILLE, 189 - MILTON, 190 - MONROE, 191 - MONSON, 192 - MONTAGUE, 193 - MONTEREY, 194 - MONTGOMERY, 195 - MOUNT WASHINGTON, 196 - NAHANT, 197 - NANTUCKET, 198 - NATICK, 199 - NEEDHAM, 200 - NEW ASHFORD, 201 - NEW BEDFORD, 202 - NEW BRAintree, 203 - NEW MARLBOROUGH, 204 - NEW SALEM, 205 - NEWBURY, 206 - NEWBURYPORT, 207 - NEWTON, 208 - NORFOLK, 209 - NORTH ADAMS, 210 - NORTH ANDOVER, 211 - NORTH ATTLEBOROUGH, 212 - NORTH BROOKFIELD, 213 - NORTH READING, 214 - NORTHAMPTON, 215 - NORTHBOROUGH, 216 - NORTHBRIDGE, 217 - NORTHFIELD, 218 - NORTON, 219 - NORWELL, 220 - NORWOOD, 221 - OAK BLUFFS, 222 - OAKHAM, 223 - ORANGE, 224 - ORLEANS, 225 - OTIS, 226 - OXFORD, 227 - PALMER, 228 - PAXTON, 229 - PEABODY, 230 - PELHAM, 231 - PEMBROKE, 232 - PEPPERELL, 233 - PERU, 234 - PETERSHAM, 235 - PHILLIPSTON, 236 - PITTSFIELD, 237 - PLAINFIELD, 238 - PLAINVILLE, 239 - PLYMOUTH, 240 - PLYMPTON, 241 - PRINCETON, 242 - PROVINCETOWN, 243 - QUINCY, 244 - RANDOLPH, 245 - RAYNHAM, 246 - READING, 247 - REHOBOTH, 248 - REVERE, 249 - RICHMOND, 250 - ROCHESTER, 251 - ROCKLAND, 252 - ROCKPORT, 253 - ROWE, 254 - ROWLEY, 255 - ROYALSTON, 256 - RUSSELL, 257 - RUTLAND, 258 - SALEM, 259 - SALISBURY, 260 - SANDSFIELD, 261 - SANDWICH, 262 - SAUGUS, 263 - SAVOY, 264 - SCITUATE, 265 - SEEKONK, 266 - SHARON, 267 - SHEFFIELD, 268 - SHELburne, 269 - SHERBORN, 270 - SHIRLEY, 271 - SHREWSBURY, 272 - SHUTESBURY, 273 - SOMERSET, 274 - SOMERVILLE, 275 - SOUTH HADLEY, 276 - SOUTHAMPTON, 277 - SOUTHBOROUGH, 278 - SOUTHBRIDGE, 279 - SOUTHWICK, 280 - SPENCER, 281 - SPRINGFIELD, 282 - STERLING, 283 - STOCKBRIDGE, 284 - STONEHAM, 285 - STOUGHTON, 286 - STOW, 287 - STURBRIDGE, 288 - SUDBURY, 289 - SUNDERLAND, 290 - SUTTON, 291 - SWAMPSCOTT, 292 - SWANSEA, 293 - TAUNTON, 294 - TEMPLETON, 295 - TEWKSBURY, 296 - TISBURY, 297 - TOLLAND, 298 - TOPSFIELD, 299 - TOWNSEND, 300 - TRURO, 301 - TYNGSBOROUGH, 302 - TYRINGHAM, 303 - UPTON, 304 - UXBRIDGE, 305 - WAKEFIELD, 306 - WALES, 307 - WALPOLE, 308 - WALTHAM, 309 - WARE, 310 - WAREHAM, 311 - WARREN, 312 - WARWICK, 313 - WASHINGTON, 314 - WATERTOWN, 315 - WAYLAND, 316 - WEBSTER, 317 - WELLESLEY, 318 - WELLFLEET, 319 - WENDELL, 320 - WENHAM, 321 - WEST BOYLSTON, 322 - WEST BRIDGEWATER, 323 - WEST BROOKFIELD, 324 - WEST NEWBURY, 325 - WEST SPRINGFIELD, 326 - WEST STOCKBRIDGE, 327 - WEST TISBURY, 328 - WESTBOROUGH, 329 - WESTFIELD, 330 - WESTFORD, 331 - WESTHAMPTON, 332 - WESTMINSTER, 333 - WESTON, 334 - WESTPORT, 335 - WESTWOOD, 336 - WEYMOUTH, 337 - WHATELY, 338 - WHITMAN, 339 - WILBRAHAM, 340 - WILLIAMSBURG, 341 - WILLIAMSTOWN, 342 - WILMINGTON, 343 - WINCHENDON, 344 - WINCHESTER, 345 - WINDSOR, 346 - WINTHROP, 347 - WOBURN, 348 - WORCESTER, 349 - WORTHINGTON, 350 - WRENTHAM, 351 - YARMOUTH.

1. When comparing prevalence across geographic areas, a variety of non-environmental factors can impact asthma prevalence.
2. Asthma prevalence is only for children enrolled in grades Kindergarten through 8th grade.
3. Statistical significant rates indicate that the rate is different from the rate for the state as a whole and the difference is unlikely due to chance.
4. Prevalence is based on the residential location of the cases and not necessarily the location of the source of exposure.
5. NS indicates number/prevalence not shown due to small numbers. These data are suppressed for confidentiality reasons.
6. Data source: Bureau of Environmental Health Massachusetts Department of Public Health.
7. Numbers and prevalence may differ slightly from those contained in other publications. These differences may be due to file updates, differences in calculating prevalence and updates in population estimates.
8. NC indicates that the information was not calculated

[Pediatric Asthma Metadata](#)